

A Legend in Every Design

# Elegance, Comes from nature



www.camrolaquatrz.com






## **ABOUT US**


Camrola Quartz Ltd., is a producer of quartz stone located in Gujarat, India with a capacity to manufacture 21000 SQFT of quartz stone daily.

Camrola Quartz is an engineered stone used for a variety of applications in the building and construction industry, be it residential, non-residential or Commercial. Camrola Quartz can be used either in existing buildings, homes, offices, etc. or in new construction projects instead of tiles or natural stones, to enhance durability, strength as well as to minimize maintenance costs for the end users. Camrola Quartz stone eliminates most of the innate deficiencies of natural granite stone as well as enables designs that are customized to the end user's choice.

Camrola Quartz has been setup with the highest level of quality and systemic controls that ensures consistent production with minimal wastage. Camrola is leading by example and is transforming quartz into breathtaking surfaces and exceptional customer experiences. Camrola's management is composed of top management from the Indian engineered stone industry with experience in sales and manufacturing with multinational experience from USA and Singapore.

www.camrolaquatrz.com





# SIZES & THICKNESS

Our sizes and thickness provide your space with the perfect blend to meet various needs, covering all areas without wastage. The thickness adds strength and stability to achieve an extraordinary look, creating an astonishing and awe-inspiring home or commercial environment.

SIZE

3485MM x 1985mm **3225MM x 1625**mm 3150MM x 1450mm

THICKNESS: 15MM **20MM 30MM** 

### ADVANTAGES

Designed to suit urban spaces, the quartz that delivers ultimate comfort with their rich features.



RESISTANT TO UV



MAINTENANCE FREE



ECO FRIENDLY



DIMENSIONAL STABILITY



HIGH PHYSICAL STRENGTH



RESISTANT TO FROST



EASY TO CLEAN



RESISTANT TO SCRATCHES



RESISTANT TO ACID AND ALKALI



RESISTANT TO STAINS



RESISTANT TO CHEMICALS



RESISTANT TO FIRE AND HEAT



### APPLICATIONS

The quartz are multi-faceted, making them applicable in abundant spaces.




TABLE TOP



COUNTER TOP



VANITY TOP





WINDOWS & DOORS



AIRPORTS & MALLS



BARS



HOSPITALS



HOTELS



TV WALLS



CAFÉ & RESTAURANT




**ELEVATOR** 



MORE










# **EDGE PROFILE**

# Stylized Edges FOR A **UNIQUE LOOK**









Everest	Page 13-18
Himalayan	Page 19-44
Marvel	Page 45-60
Luxor	Page 61-70
Cosmic	Page 71-82
Impresso	Page 83-88
Aria	Page 89-100
Crystal	Page 101-110
Mirage	Page 111-120



www.camrolaquatrz.com











THICKNESS 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm














THICKNESS 20mm | 30mm SIZES


3485x1985mm 3225x1625mm 3150x1450mm













THICKNESS 20mm | 30mm



HONEY ONYX

SIZES 3485x1985mm 3225x1625mm 3150x1450mm








www.camrolaquatrz.com









THICKNESS 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm
















OALAOATTA ATTILITA

SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm













THICKNESS 20mm | 30mm SIZES 3485x1985mm 3225x1625mm 3150x1450mm













CALACATTA MARIA GOLD

SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm













SIZES 3485x1985mm

3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm















CALACATTA OSLINA GREY

SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm

SIZES






3485x1985mm

3225x1625mm

3150x1450mm













CALACATTA RAPHAEL GOLD

SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm









CALACATTA OSLINA SIENA BROWN

SIZES

3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm




SIZES

3485x1985mm 3225x1625mm 3150x1450mm

CALACATTA LEON GOLD













SIZES

3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm














CALACATTA MARQUINA

SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm THICKNESS 20mm | 30mm

3485x1985mm

3225x1625mm

3150x1450mm

GOLD

SIZES











A Legend in Every Design





CALACATTA VOLKAS GOLD

SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm


THICKNESS 20mm | 30mm



41 | 42










SIZES 3485x1985mm

3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm








www.camrolaquatrz.com










THICKNESS 20mm | 30mm



### CAMPEN

SIZES 3485x1985mm 3225x1625mm

THICKNESS 20mm | 30mm

3150x1450mm
















CARRARA ALABASTER


SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm

SIZES


3485x1985mm 3225x1625mm 3150x1450mm















**DARK VESUVIOUS** 

SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm


SIZES 3485x1985mm 3225x1625mm 3150x1450mm












THICKNESS 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm









A Legend in Every Design







SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm



3485x1985mm 3225x1625mm 3150x1450mm
















ROYAL VEINS


SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm

### MONTE BIANCO

SIZES 3485x1985mm 3225x1625mm 3150x1450mm













WHITE DUNE

SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 20mm | 30mm



59 | 60



www.camrolaquatrz.com









THICKNESS 15mm | 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS

15mm | 20mm | 30mm















THICKNESS 15mm | 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 15mm | 20mm | 30mm
















THICKNESS 15mm | 20mm | 30mm


SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS

15mm | 20mm | 30mm













SANDLE WOOD

SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 15mm | 20mm | 30mm






www.camrolaquatrz.com










THICKNESS 15mm | 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm











DOVE WHITE




SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 15mm | 20mm | 30mm

SIZES 3485x1985mm 3225x1625mm 3150x1450mm
















THICKNESS 15mm | 20mm | 30mm





MINT GREY


SIZES 3485x1985mm 3225x1625mm 3150x1450mm











LIGHT GREY

SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 15mm | 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS

15mm | 20mm | 30mm
















www.camrolaquatrz.com










THICKNESS 15mm | 20mm | 30mm





**CAMROLA BEIGE** 

SIZES 3485x1985mm 3225x1625mm 3150x1450mm











**GRIGIO CAM** 

SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 15mm | 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm


THICKNESS

15mm | 20mm | 30mm





www.camrolaquatrz.com











# CHILLED WHITE


SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 15mm | 20mm | 30mm SIZES 3485x1985mm 3225x1625mm 3150x1450mm











SIZES

3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS

15mm | 20mm | 30mm

SIZES

3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS


15mm | 20mm | 30mm















THICKNESS 15mm | 20mm | 30mm SIZES


3485x1985mm 3225x1625mm 3150x1450mm















THICKNESS 15mm | 20mm | 30mm

SIZES

3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS

15mm | 20mm | 30mm











A Legend in Every Design






SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 15mm | 20mm | 30mm





SIZES 3485x1985mm 3225x1625mm 3150x1450mm






www.camrolaquatrz.com










THICKNESS 15mm | 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm














THICKNESS 15mm | 20mm | 30mm




**INOX BROWN** 

SIZES 3485x1985mm 3225x1625mm 3150x1450mm
















**BIANCO VETRONILA** 

SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 15mm | 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS

15mm | 20mm | 30mm




107 | 108









# DAZZLE WHITE

SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 15mm | 20mm | 30mm



109 | 110




# MIRAKE

www.camrolaquatrz.com





A Legend in Every Design








SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 15mm | 20mm | 30mm SIZES 3485x1985mm 3225x1625mm


3150x1450mm














THICKNESS 15mm | 20mm | 30mm SIZES

3485x1985mm 3225x1625mm 3150x1450mm

















**GRAPHITE STAR** 

SIZES 3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS 15mm | 20mm | 30mm SIZES


3485x1985mm 3225x1625mm 3150x1450mm

THICKNESS

15mm | 20mm | 30mm



117 | 118









# COASTA STAR

SIZES 3485x1985mm 3225x1625mm 3150x1450mm



## COMPARISON

Property	Results	Results	Results	Results
Characteristics	Camrola Quartz	Camposite Marble	Granite	Imported Marble
Resistance To Chemicals	High	Low	Moderate	Low
Hardness	High	Low	Moderate	Low
Resistance To Impact	High	Low	High	Low
Resistance To Stains	High	Low	Moderate	Low
Resistance To Scratch	High	Low	High	Low
Resistance To Oil Absorption	High	Low	Moderate	Low
Heat Resistance	High	Low	Moderate	Low
Non Porous	High	Low	Low	Low
Ease To Maintenance	High	High	Moderate	High
Resistance To Microbial Growth	High	High	Low	High
Coast Saving Through Low Wastage	High	High	Low	Low
Maintenance	High	High	Low	High
Saving On Installation	High	High	Low	High
Resistance To Water Absorption	High	High	Moderate	Low
Size Consistency	High	High	Low	Low
Colour Consistency	High	High	Low	Low
Supply Consistency	High	High	High	Low
Colour / Pattren / Texture Options	High	High	Low	Moderate

Like all fine materials, Camrola Quartz responds best when handled with due care and attention. Remember, it is always easier to wipe up a spill than it is to handle a dried stain. Just wipe away any spilled food before it turns into a permanent stain.

Remember that detergents containing bleach and hard scouring granules may harm surfaces over time. Therefore, pay due attention to your detergent selection by never using cleaning products that contain soft or hard scouring granules such as vim scouring power or CIF Cream.

Products with pH close to neutral or with reduced pH effect (general cleaning products which may be commercially available on shelves) may be used at all times. However, prolonged contact with decalcified and products containing decalcifying agents as well as oil solvents and products containing oil solvents must be avoided.

Gently scrape away any spills of paint, nail, enamel, chewing gum, mustard, grease, etc using a plastic spatula as soon as possible. Make sure you cleanse the surface with water thoroughly.

Quartz being one of the hardest minerals on earth, offers an unparalleled strength and durability that prevent easy scratching and damage, Still, as with any surface, Camrola Quartz can be permanently damaged by exposure to strong forces that undermine its physical properties. In order for your countertop to maintain its good looks for many years, always use a bread/chopping board and a table mat (trivet)

# TECHNICAL SPECIFICATION

Property	Results	Method	
Water Absorption	<0.05%	ASTM C97-09	
MOH's Hardness	6.5 - 7	MOH's Hardness Scale	
Thermal Shock	No Damage, Passed 5 Cycles	ASTM C484	
Compressive Strength	24000 Psi	ASTM C170	
Flexural Strength	8500 - 9000 Psi	ASTM C880	
Moisture Absorption	Negligible	ASTM C97	
Abrasion Resistance	21.5 mm	ASTM C1253	
Density	2.4 g/cm <sup>3</sup>	ASTM C373	
Cigarette Test	Unaffected	ANSI Z124.6	
Stain Resistance	Unaffected	ANSI Z124.6	
Bond Strength	205 Psi	ASTM C482	
Wear Resistance	Unaffected	ANSI Z124.6	
Thermal Expansion	2.5 x 10 <sup>-5</sup> in/f	ASTM C531	
Chemical Resistance	Unaffected	ASTM C650	
De-Icing Resistance	Unaffected	ASTM C672	
Freeze-Thaw Resistance	No Damage, Passed 15 Cycles	ASTM C1026	
Surface Burning Characteristics	17 (Class A/1 Rating)	ASTM E84	

## SLAB SIZE

3150 x 1450mm (124 x 57 inches) 10.33 x 4.75 Feet (49.16 SQ.FT) 3225 x 1625mm (127 x 64 inches) 10.58 x 5.33 Feet (56.41 SQ.FT) 3485 x 1985mm(137 x 78 inches) 11.40 x 6.48 Feet (73.87 SQ.FT)


# THICKNESS

30MM, 20MM, 15MM

Customised size is available on request

Pictures represented in the catalogue are indicative in nature. For exact matching, please refer the actual sample

# MOULD FINISHING







# Camrola Quartz Ltd.

Head Office: 516, Gala Empire, Opp. TV Tower Metro Station, Drive In Road, Thaltej, Ahmedabad-380054, Gujarat, India. info@camrolaquartz.com | www.camrolaquartz.com | +91 79 4892 5898

Factory: Survey No. 426, Sonasan, Nananpur Road, Village-Amodara, Tal-Prantij, Dist-Sabarkantha-383210, Gujarat, India.

